

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

. Society, Constant



Study of Vibrational Energy Transfer at a Surface by a Time-of-Flight Method

Wei Yuan and B. S. Rabinovitch

Department of Chemistry BG-10. University of Washington Seattle, Washington 98195

Technical Report No. NR092-549-TR27
Contract N00014-75-C-0690, NR-092-549

July 31, 1983

10

OFFICE OF NAVAL RESEARCH
Department of the Navy Code 432
800 N. Quincy
Arlington, VA 22217



Reproduction in whole or in part is permitted for any purpose of the of the United States Government. This document has been approved for public release; its distribution is unlimited.

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
I. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
NR092-549-TR27	AD-A131 798	
4. TITLE (and Subtitle)	6	S. TYPE OF REPORT & PERIOD COVERED
Study of Vibrational Energy Trans by a Time-of-Flight Method	ster at Surface	Technical
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		B. CONTRACT OR GRANT NUMBER(a)
W. Yuan and B. S. Rabinovitch		NRO014-75-C-0690
		NR092-549
Performing organization name and address Professor B. S. Rabinovitch	1	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT HUMBERS
Department of Chemistry, BG-10		
University of Washington, Seattle	e, WA 98195	
II. CONTROLLING OFFICE NAME AND ADDRESS Dr. Richard Miller		July 31, 1983
Office of Naval Research, Code 4 Department of the Navy	32	13. NUMBER OF PAGES
800 M. Ouincy, Arlington, VA 22	21/	18
14. MONITORING AGENCY NAME & ADDRESS(If differen	nt from Controlling Office)	18. SECURITY GLASS. (of this report)
		·.
		18a. DECLASSIFICATION/DOWNGRADING
16. DISTRIBUTION STATEMENT (of this Report)	`.	
This document has been approved	for nublic males	· ·
its distribution is unlimited.	TOT PUDITIC TETER	,
		·
17. DISTRIBUTION STATEMENT (of the abstract entered	in Block 20. If dillerent fre	m Report)
To be published		
10 00 per 10 10 10 10 10 10 10 10 10 10 10 10 10		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse elde it necessary a Accomodation coefficient	nd identify by block number)	
Cyclobutene	Time-of-fligh Transition Pr	
Energy Transfer	Unimolecular	
High Temperature	Vibrational R	
Surfaces		
20. AGSTRACT (Continue on reverse side if necessary and A single collision, time-of-f	d identify by block number)	of the VFM method for the
study of molecule-surface vibration		
fined technique helps election bet		
of the collisional transition prob	ability function	. A gaussian form is preferred
over a boltzmann-exponential form	for cyclobutene	isomerization to 1,3-butadiene
energized by collisions at a seaso	oned silica surfa	ce at 800 K. The Study 1 lus-
trates the difference between conv	rentional accompo- ies, and the pres	ent studies which explore the

DD 1 JAN 73 1473

Control of the Contro

EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-LF-014-6601

Study of Vibrational Energy Transfer at a Surface by a Time-of-Flight Method **

Wei Yuan[†] and B. S. Rabinovitch

Department of Chemistry BG-10

University of Washington

Seattle, WA: 98195

Abstract

alle besteed besteed bytenes besteed bytenes bytenes bytenes bytenes besteed bytenes

A single collision, time-of-flight extension of the VEM method for the study of molecule-surface vibrational energy transfer is introduced. The technique helps election between possible alternative trial analytic forms of the collisional transition probability function. A gaussian form is preferred over a boltzmann-exponential form for cyclobutene isomerization to 1,3-butadiene energized by collisions at a silica surface at 800 K.



Acces	sion For
NTIS	GRA&I
DTIC :	TAB 📋
	ounced []
Justi	fication
Ву	
Distr	ibution/
Avai	lability Codes
	Avail and/or
Dist	Special
A	
	<u></u>

INTRODUCTION

Vibrational energy transfer during collisions of a thermal distribution of gas molecules with a solid surface is a subject of current interest. A variety of substrate molecules have been examined on various surfaces including fused silica [1,2], pyrex glass [3], polycrystalline iron [4], platinum [5] and gold [6]. Some of the work [2,4,5] concerns measurements of vibrational accomposation coefficients, i.e., probes the lower end of the vibrational energy distribution resulting from collision. The work in this laboratory [1,3,6] has dealt with vibrational excitation of substrate molecules to levels above the unimplecular reaction threshold E_0 (~30-65 kcal mole⁻¹). In this case, E_0 acts as the absorbing barrier postulated in the original random walk treatment of Rubin and Shuler [7].

The surfaces used in the work cited above are not "clean", being rapidly covered at the substrate pressures employed. In particular, they are deliberately "seasoned" at high temperatures in our work; the seasoned surface is ostensibly covered with a graphitic polymeric layer whose nature may be related to those described by Somorjai, et al [8]. However, the nature of the underlying matrix, e.g. whether gold or silica, may continue to influence the nature of the layer formed by surface treatment and its energy transfer properties [6].

The variable encounter method (VEM) used in this laboratory has been described in detail [1], including the single collision variant thereof [3]. In general, cold molecules thermalized at some lower temperature are permitted to collide with a heated surface, called the "reactor". In fitting the observed energy transfer results of VEM studies, various trial analytic forms of the collisional transition probability matrix P have been used [1,3,9]. Prominent among these have been Exponential (E), Gaussian (G) and Boltzmann-exponential (BE) forms; the elements of the latter two obey the following relations for down-transitions (energy loss) by the molecule:

$$p^{G}(\Delta E) = C \exp[-(\Delta E - \Delta E_{mp})^{2}/2\sigma^{2}]$$
 (1)

where $\Delta E = E_j - E_i$ ($E_j > E_i$); ΔE_{mp} is the most-probable transition; σ is the standard deviation; C is a normalization constant;

$$\rho_{i+j}^{BE} (\Delta E.T_i) = C \beta_i \exp(-\Delta E/\langle \Delta E \rangle)$$
 (2)

where $B_i = g_i \exp(-E_i/RT_h)$ is a Boltzmann weighting. T_h being the hot reactor surface temperature: $\langle \Delta E \rangle$ is an average energy transfer parameter: normalization extends over all energies, and up-transition probabilities are found by detailed balance. It transpires that several transition probability models will often fit a particular range of results although the E form has been found more apt for weaker collisions, and the G form for stronger collisions; the BE form will obviously approach the strong collision limit when $\langle \Delta E \rangle$ becomes very large.

In an attempt to distinguish better the suitability of various models. Arakawa, et al [9] studied single collision excitation of cyclobutene isomerization on a hot seasoned silica surface maintained at various temperatures and varied the initial vibrational energy, i.e., the initial (cold) temperature T_0 of the substrate, from 273 K to 600 K. Although the E model could be ruled out, both the G and BE models gave reasonable fit to the data taken at silica surface "reactor" temperatures from 600 K to 900 K (see Fig. 3 of ref. 9a). However, as may be seen from Fig. 1 (for reactor temperature 800 K), these two models make different predictions concerning both the magnitude of the accomodation coefficients α (α $\stackrel{G}{\sim}$ 1: α $\stackrel{BE}{\sim}$ < 1), and the form of the population distribution above E_0 . After a single collision the new population vector is given by $\frac{N}{N} = \frac{P}{N} \frac{N}{N}$, where $\frac{N}{N}$ is the initial Boltzmann vector corresponding to the original (cold) temperature. (For a strong collider, $\frac{N}{N}$ becomes $\frac{N}{N}$, the Boltzmann distribution at the reactor (hot) temperature.) If $\frac{P}{N}$ is partitioned at E_0 , i.e., $\frac{P}{N} = \frac{P_1}{N} \frac{P_2}{N}$, then obviously the reaction probability per collision $\frac{P}{N}$ depends only on $\frac{P}{N}$, i.e., up-transition probabilities

a various versions transfers transfers attended transfers towns of the contract transfers and the contract transfers to the contract transfers transfers to the contract transfers to the contract transfers transfers to the contract transfers transfers to the contract transfers transfers transfers transfers transfers transfers transfer transfers tran

terminating above E_0 . By contrast, measurement of α gives information only about E_1 . At lower energies, N_0^{-1} follows the equilibrium population curve N_0^{-1} quite closely (hence $\alpha^{-1} = 1$), while N_0^{-1} drops markedly below N_0^{-1} (hence $\alpha^{-1} = 1$). Above E_0 , N_0^{-1} declines more rapidly than N_0^{-1} . This difference in slope provides a basis for an experimental test of the relative validity of the two models. Unfortunately, as may be seen from Fig. 2, this difference in slope above E_0^{-1} is greatly reduced at lower reactor temperatures so that in this system it provides an adequate basis for experiment only at the highest temperature employed here. 800 K. By changing the flight distance between the hot surface and a cold wall, the flight time τ during which decomposition may take place can be altered. Since the specific decomposition probability k(E) varies with energy in a range of operational accessibility (Fig. 1), i.e., k^{-1} (E) = $O(\tau)$, it is possible to probe the form of N_0^{-1} it may be assumed (3.9.10) that accomodation of cyclobutene on a cold (~285K-330K) surface is complete in one collision so that partial cooling and multiple reflection is not a problem.

THE PARTICULAR PROPERTY (MICHAEL MICHAEL MICHA

Experimental

Cyclobutene was obtained from Columbia Chemicals, >99.9%. It was further purified by gas chromatography.

The reactor (Fig. 3) consisted of a 1-I spherical pyrex flask provided with an internally-heated lathe-aligned central silica cylinder finger having a flat ground fused silica end H positioned at the center of the flask. The thin ground silica flat (diam. 3 cm) constituted the hot surface. The internal cylinder was described previously (3) and was a thermostatted liquid metal bath. B. The wall of the cylinder was double jacketed and cooled. Facing the silica flat was an overlapping flat brass surface C which was the end of a water cooled cylinder that moved smoothly on a screw S with a no-twist, no-play action and pumped O-ring seals. The flight distance between flats was changed from 0.02 cm to 5.6 cm. Temperature measurements were made with two chromel-alumel thermocouples which dipped into the liquid metal alloy inside the finger. The temperature of the hot bath was varied from 550-820 K. The hot silica surface was seasoned with cyclobutene (~3 x 10⁻⁴ torr) at 800 K for one hour. The reaction pressure was $0.8-1 \times 10^{-4}$ torr, so the system was at the second order region. Cyclobutene isomerizes to 1.3-butadiene. No by-product was found on a FID chromatographic system. Every experimental point shown in Fig. 4 was the average of three to four separate measurements. Samples were admitted to the flask for a period of time that produced 1-5% reaction usually. Analysis was made on a SCOT squalane column or on a 3/16" packed squalane column on Chromosorb P.

Results and Calculations

Four average flying distances were tested: 0.046, 0.126, 0.32 and 5.6 cm. For the former three distances, the temperature of the cold brass surface was ~285 K. For the longest distance (the finger completely retracted), the wall of the flask was heated slightly by the hot surface and was maintained at ~320 K. This made a slight change in the number of collisions at given pressure with the hot surface, and in the initial Boltzmann distribution. The latter effect is slight and could readily be reduced to 285 K by use of the measurements in ref. 9a.

As before [10], the unimolecular reaction obeyed the first order law with respect to time. From the experimental rate constant k, the reaction probability per collision P_C is given by (Appendix A), $P_C = 4kV/ca$, where V is the volume of the reactor; a is the area of the hot surface; c is the average speed of the molecules. A P_C vs. T_h plot is shown in Fig. 4. The plot of P_C vs. flight distance, d, is given in Fig. 5 for $T_h = 800$ K.

 $\mathbf{P}_{\mathbf{C}}$ values were also calculated by computer simulation.

$$P_{c} = \int_{E_{0}}^{\infty} N^{1}(E,T) \left\{ 1 - e^{-k(E)\tau(d,T)} \right\} dE / \int_{0}^{\infty} N^{1}(E,T) dE$$

k(E) is the microscopic rate constant according to RRKM theory; $\tau(d,T)$ is the flight time; d is the average flight distance. By fitting Fig. 4, the parameters $\langle \Delta E \rangle$ and ΔE_{mp} to be used in P in order to generate N were deduced at several temperatures over the range used. In Table 1 are given resulting values of $\langle \Delta E^1 \rangle$, the average down-jump step, and α , for the two models under consideration. Calculated plots of P are compared with experiment at 800 K in Fig. 5.

RRKM values of k(E) shown in Fig. 1 were calculated with use of activated complex model A given by Elliot and Frey (11). Their complex C has also been used but does not give as good concordance; this is considered further below. The frequencies used for the molecule and complex are tabulated in Appendix B.

Discussion

Reference to Table 1 reveals reasonable concordance between the values of this study and the values of ref. 9a for both the average down-step size, $<\Delta E^{-1}>$, and the vibrational accomposition coefficients, α .

The G and BE models when compared with experiment in the plot of P_C vs. T in Fig. 5 reveal better concordance for the former model. Both calculations were adjusted by a few percent so as to fit the 800 K data. The absolute values of k(E) are sensitive to the choice of activated complex models, and thus also is the goodness of fit of calculated values to experiment. Use of activated complex C of Elliot and Frey would not give as good absolute agreement but, nevertheless, model G still gives relatively better concordance than does model BE. We conclude that the gaussian collisional transition probability model is the preferred one and that, on silica, vibrational accomodation coefficient values close to unity are also favored.

The only comparable data are those of ref. 2 for octane on fused silica for which intermediate values (~0.5) were reported in measurements made at lower vibrational energies, well below reaction threshold values. Since octane is a higher boiling species, with a larger Lennard-Jones force constant than cyclobutene, a smaller α value is not expected. The discrepancy may suggest an energy transfer model intermediate between the two tested here. Our use of models such as E. G. etc., now and in the past, has been simply as pragmatic analytic forms having somewhat different properties and differing physical connotations [12]. There is an urgent need for the efforts of theoreticians to make the admittedly difficult connections with solid state and molecular properties and potentials and with eigenstate densities. This need exists also because of the practical importance of thermal high-energy phenomena.

The fit of calculations to experiment (not shown) is not as good at 700 K and 600 K, although the G model continues to be preferred. As mentioned earlier, the operational distinction between the two models decreases, but another difficulty is the heavier and irregular dependence of k(E) on the complex model details at lower temperature and energies where k(E) ceases to behave as a smooth monotonic function of E. This difficulty would be minimized in the examination of larger molecules having more, and more-dispersed, vibrational frequencies, and with a consequent wider range of energies probed above E₀ at given to pretature — apart from any fundamental difficulties of the rate theory at energon ear the reaction threshold [13]. Decomposition, rather than isomerization systen would be more favored in order to keep values of k(E) up in the experimental, accessible range.

Table I. Average energy transfer down-step $<\Delta E^1>$ (cm $^{-1}$) and vibrational accomposition coefficient α in the single-collision cyclobutene system.

T _h (K)	Model .	<ΔE ¹ >	<u> </u>
800		4330 (4100) ^b	0.95 (0.94) ^C
700	G	4940 (4200)	0.98 (0.97)
600		5550 (5640)	0.96 (0.96)
800		4230 (3500)	0.26 (0.20)
700	BE	5590 (4450)	0.33 (0.24)
600		6580 (6400)	0.38 (0.33)

^a For an initial temperature T_0 of 285 K.

Parenthetic values are average values from ref. 9a for initial temperatures over the range 273 K - 600 K.

C Values from ref. 9a for initial temperature of 273 K.

Appendix A: The calculation of collision rate and Pc values.

When the flight distance is long, the collision rate with the hot surface is obviously governed by the flask temperature, T_0 . If the flight distance is only several millimeters or less, the speed distribution of the molecules inside the hot-cold gap is influenced by the temperature of the hot surface. A one-dimensional approximation is suitable for our case. A "reduced" temperature, $T_m^{-1/2} = 2(T_h^T_0)^{1/2} / ((T_h^-)^{1/2} + (T_0^-)^{1/2})$, should ostensibly be used [14] instead of T_0 to estimate the collision rate. However, the usual equation for calculating the P_C values from the observed rate constant k is still correct in this case. When the steady state is established, $N_g^- c_g^- = N_f^- c_f^-$, where N_g^- is the concentration of the gas inside the gap; c_g^- is the average speed of the gas inside the gap; c_f^- is the average speed of the gas outside the gap; c_f^- is the average speed of the gas outside the gap; c_f^- is the average speed of the gas outside the gap; c_f^- is the average speed of the gas outside the gap; c_f^- is the average speed of the gas outside the gap; c_f^- is the average speed of the gas outside the gap; c_f^- is the

inside the gap one has the usual equation for calculating P_c : $P_c = 4k_g V_g/c_g a$; where k_g is the "real" rate constant of this isomerization reaction inside the gap; V_g is the volume of the gap; a is the area of the hot surface. In our experiment P_c is equal to or less than 10^{-4} and the composition of the gas inside the gap is the same as the composition of the gas outside. The quantity actually measured is the total rate constant k based on the whole flask. Then, $k = k_g V_g N_g / (V_f N_f + V_g N_g)$; or $k_g = k[V_f (T_m/T_0)^{1/2} + V_g]/V_g$ and $P_c = 4k[V_f (T_m/T_0)^{1/2} + V_g]/T_g N_g$.

Because V_f is much bigger than V_q , $P_c = 4kV_f/c_f$ a.

One further addendum. The distance between hot and cold surfaces, L. is not the average flight distance, d. Assuming a cosine desorption law, then

$$d = \int_0^{2\pi} \int_0^{\pi/2} t \sin\theta d\theta d\phi / \int_0^{2\pi} \int_0^{\pi/2} \cos\theta \sin\theta d\theta d\phi = 2t$$

Appendix B: Vibrational Assignment [11]

Molecule (cm $^{-1}$) = 3058, 3126, 2916, 2955(2), 2933, 1566, 1444, 1426, 1288, 1276, 1210, 1182, 1113, 1100, 1074, 986, 875, 850, 846, 800, 640, 635, 325.

Activated Complex A (cm⁻¹): 3040. 3030. 3020. 3010. 3000. 2990. 1370. 1360. 1350. 1340. 1330. 1320. 1310. 1032. 1020. 1010. 1000. 990. 980. 680. 670. 660. 335.

 $E_0 = 32.0 \text{ kcai mol}^{-1}$. Reaction path degeneracy = 1.

References

- "Work supported by the Office of Naval Research.
- ¹ Permanent address: Department of Chemistry and Chemical Engineering, Qinghua University, Beijing 100084, P.R. of China.
- [1] Kelley, D.F.; Zalotai, L.; Rabinovitch, B.S. Chem. Phys. 46 (1980) 379.
- [2] Amorbieta, V.T.; Colussi, A.J. <u>J. Phys. Chem.</u> 86 (1982) 3058.
- (3) Kelley, D.F.; Kasai, T.; Rabinovitch., B.S. <u>J. Phys. Chem.</u> 85 (1981) 1100.
- [4] Draper, C.W.; Rosenblatt, G.M. J. Chem. Phys. 69 (1978) 1465, and later work.
- [5] Foner, S.N.: Hudson, R.L. J. Chem Phys. 75 (1981) 4727.
- [6] Yuan, W.; Rabinovitch, B.S. J. Phys. Chem., in press.

AND THE PROPERTY OF THE PROPER


- [7] Rubin, R.J.; Shuler, K.E. J. Chem. Phys. 25 (1956) 59, 68.
- [8] Koestner, R.J.; VanHove, M.A.; Somorjai, G.A. J. Phys. Chem. 87 (1983) 203.
- (9) a) Arakawa, R.; Kelley, D.F.; Rabinovitch, B.S. <u>J. Chem. Phys.</u> 76 (1982) 2384;
 b) Arakawa, R.; Rabinovitch, B.S. J. Chem. Phys. 86 (1982) 4772.
- [10] Flowers, M.C.; Wolters, F.C.; Kelley, D.F.; Rabinovitch, B.S. <u>Chem. Phys. Lett.</u> 69
 (1980) 543; Wolters, F.C.; Flowers, M.C.; Rabinovitch, B.S. <u>J. Phys. Chem.</u> 85
 (1981) 589.
- [11] Elliot, C.S.; Frey, H.M. Trans. Faraday Soc. 1966, 62, 395.
- [12] Tardy, D.C.; Rabinovitch, B.S. <u>Chem. Rev.</u> 77 (1977) 369; <u>J. Chem. Phys.</u> 45 (1966) 3720.
- [13] Schranz, H.W.; Nordholm, S.; Hamer, N.D. Intl. J. Chem. Kinet. 14 (1982) 543.
- [14] Edwards, D.K.; Denny, V.E.; Mills, A.F. "Transfer Processes", McGraw-Hill Book Co., (1976) p. 154.


Captions


- Fig. 2. Vibrational energy populations for cyclobutene for the reaction condition (600, 285). Same notation as in Fig. 1.
- Fig. 3. Schematic of apparatus showing hot H and cold C surfaces; internal bath, B. fitted with heater, stirrer, thermocouple wells and heat baffle, cooled triple wall.

 The opposing water-cooled brass surface C entered via pumped O-ring seal space, O, on a screw action, S, that permitted 7 cm of travel. G is a pyrex/quartz graded seal and M a quartz/stainless steel transition. V are spaced viewing ports for distance calibration.
- Fig. 4. The reaction probability per collision P_c vs. temperature. \square . \triangle . ∇ refer. respectively, to the average flight distance 5.6, 0.32, 0.126 and 0.046 cm; -- is the strong collider curve (E $_0$ = 32.0
- Fig. 5. P_C vs. d (log scale) at 800 K; O , experimental points; ——, Gaussian; — Boltzmann exponential calculations.


kcai mole).








THE PARTY ASSESSED ASSESSED ASSESSED BELLEVIEW SECTION OF SECTION OF SECTION SECTIONS SECTIONS SECTIONS SECTIONS





July 31, 1983

<u>No.</u>	Copies	No. Copies
Dr. L.V. Schmidt Assistant Secretary of the Navy (R,E, and S) Room 5E 731 Pentagon	1	Dr. F. Roberto 1 Code AFRPL MKPA Edwards AFB, CA 93523
Washington, D.C. 20350		Dr. L.H. Caveny Air Force Office of Scientific
Dr. A.L. Slafkosky Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1	Research Directorate of Aerospace Sciences Bolling Air Force Base Washington, D.C. 20332
Dr. Richard S. Miller Office of Naval Research Code 432 Arlington, VA 22217	10	Mr. Donald L. Ball 1 Air Force Office of Scientific Research Directorate of Chemical Sciences Bolling Air Force Base
Mr. David Siegel	1	Washington, D.C. 20332
Office of Naval Research Code 260 Arlington, VA 22217		Dr. John S. Wilkes, Jr. 1 FJSRL/NC USAF Academy, CO 80840
Dr. R.J. Marcus Office of Naval Research Western Office 1030 East Green Street Pasadena, CA 91106	1	Dr. R.L. Lou l Aerojet Strategic Propulsion Co. P.O. Box 15699C Sacramento, CA 95813
Dr. Larry Peebles Office of Naval Research East Central Regional Office 666 Summer Street, Bldg. 114-D	1	Dr. V.J. Keenan 1 Anal-Syn Lab Inc. P.O. Box 547 Paoli, PA 19301
Boston, MA 02210 Dr. Phillip A. Miller	1	Dr. Philip Howe Army Ballistic Research Labs ARRADCOM
Office of Naval Research Naval Station, Treasure Island Bldg. 7, Rm. 81	•	Code DRDAR-BLT Aberdeen Proving Ground, MD 21005
San Francisco, CA 94130		Mr. L.A. Watermeier 1 Army Ballistic Research Labs
Mr. Otto K. Heiney AFATL - DLDL Eglin AFB, FL 32542	1	ARRADCOM Code DRDAR-BLI Aberdeen Proving Ground, MD 21005
Mr. R. Geisler ATTN: MKP/MS24 AFRPL Edwards AFB, CA 93523	1	Dr. W.W. Wharton 1 Attn: DRSMI-RKL Commander U.S. Army Missile Command Redstone Arsenal, AL 35898

No. Co	ppies	No.	Copies
Mr. J. Murrin Naval Sea Systems Command Code 62R2 Washington, D.C. 20362	1	Dr. A. Nielsen Naval Weapons Center Code 385 China Lake, CA 93555	1
Dr. P.J. Pastine Naval Surface Weapons Center Code RO4 White Oak Silver Spring, MD 20910	1	Dr. R. Reed, Jr. Naval Weapons Center Code 388 China Lake, CA 93555	1
Mr. L. Roslund Naval Surface Weapons Center Code R122 White Oak	1	Dr. L. Smith Naval Weapons Center Code 3205 China Lake, CA 93555	1
Silver Spring, MD 20910 Mr. M. Stosz	1	Dr. B. Douda Naval Weapons Support Center Code 5042	l r
Naval Surface Weapons Center Code R121 White Oak Silver Spring, MD 20910		Crane, IN 47522 Dr. A. Faulstich Chief of Naval Technology	1
Dr. E. Zimmet Naval Surface Weapons Center	1	MAT Code 0716 Washington, D.C. 20360	1
Code R13 White Oak Silver Spring, MD 20910		LCDR J. Walker Chief of Naval Material Office of Naval Technology MAT, Code 0712	1
Dr. D.R. Derr Naval Weapons Center Code 388	1	Washington, D.C. 20360 Mr. Joe McCartney	1
China Lake, CA 93555		Naval Ocean Systems Center San Diego, CA 92152	•
Mr. Lee N. Gilbert Naval Weapons Center Code 3205 China Lake, CA 93555	1	Dr. S. Yamamoto Marine Sciences Division Naval Ocean Systems Center San Diego, CA 91232	1
Dr. E. Martin Naval Weapons Center Code 3858 China Lake, CA 93555	1	Dr. G. Bosmajian Applied Chemistry Division Naval Ship Research & Develo] opment
Mr. R. McCarten Naval Weapons Center	1	Center Annapolis, MD 21401	
Code 3272 China Lake, CA 93555		Dr. H. Shuey Rohm and Haas Company Huntsville, AL 35801	1

AND THE STATE OF T

	No. Copies	No. Copies
Mr. R. Brown Naval Air Systems Command Code 330 Washington, D.C. 20361	1	Dr. J. Schnur 1 Naval Research Lab. Code 6510 Washington, D.C. 20375
Dr. H. Rosenwasser Naval Air Systems Command AIR-310C Washington, D.C. 20360	1	Mr. R. Beauregard 1 Naval Sea Systems Command SEA 64E Washington, D.C. 20362
Mr. B. Sobers Naval Air Systems Command Code 03P25 Washington, D.C. 20360	1	Mr. G. Edwards 1 Naval Sea Systems Command Code 62R3 Washington, D.C. 20362
Dr. L.R. Rothstein Assistant Director Naval Explosives Dev. Engineering Dept. Naval Weapons Station Yorktown, VA 23691	1	Mr. John Boyle 1 Materials Branch Naval Ship Engineering Center Philadelphia, PA 19112 Dr. H.G. Adolph 1
Dr. Lionel Dickinson Naval Explosive Ordnance Disposal Tech. Center Code D Indian Head, MD 20640	1	Naval Surface Weapons Center Code R11 White Dak Silver Spring, MD 20910 Dr. T.D. Austin 1
Mr. C.L. Adams Naval Ordnance Station Code PM4	1	Naval Surface Weapons Center Code R16 Indian Head, MD 20640
Indian Head, MD 20640 Mr. S. Mitchell Naval Ordnance Station Code 5253 Indian Head, MD 20640	1	Dr. T. Hall l Code R-11 Naval Surface Weapons Center White Oak Laboratory Silver Spring, MD 20910
Dr. William Tolles Dean of Research Naval Postgraduate School Monterey, CA 93940	1	Mr. G.L. Mackenzie l Naval Surface Weapons Center Code R101 Indian Head, MD 20640
Naval Research Lab. Code 6100 Washington, D.C. 20375	1	Dr. K.F. Mueller l Naval Surface Weapons Center Code R11 White Oak Silver Spring, MD 20910

<u>No.</u>	Copies	No. Copies
Dr. R.G. Rhoades Commander Army Missile Command DRSMI-R Redstone Arsenal, AL 35898	1	Dr. E.H. Debutts 1 Hercules Inc. Baccus Works P.O. Box 98 Magna, UT 84044
Dr. W.D. Stephens Atlantic Research Corp. Pine Ridge Plant 7511 Wellington Rd. Gainesville, VA 22065	1	Dr. James H. Thacher 1 Hercules Inc. Magna Baccus Works P.O. Box 98 Magna, UT 84044
Dr. A.W. Barrows Ballistic Research Laboratory USA ARRADCOM DRDAR-BLP Aberdeen Proving Ground, MD 2100	1	Mr. Theodore M. Gilliland 1 Johns Hopkins University APL Chemical Propulsion Info. Agency Johns Hopkins Road Laurel, MD 20810
Dr. C.M. Frey Chemical Systems Division P.O. Box 358 Sunnyvale, CA 94086	1	Dr. R. McGuire 1 Lawrence Livermore Laboratory University of California Code L-324 Livermore, CA 94550
Professor F. Rodriguez Cornell University School of Chemical Engineering Olin Hall Ithaca, NY 14853	1	Dr. Jack Linsk 1 Lockheed Missiles & Space Co. P.O. Box 504 Code Org. 83-10, Bldg. 154 Sunnyvale, CA 94088
Defense Technical Information Center DTIC-DDA-2 Cameron Station Alexandria, VA 22314	12	Dr. B.G. Craig 1 Los Alamos National Lab P.O. Box 1663 NSP/DOD, MS-245 Los Alamos, NM 87545
		Dr. R.L. Rabie 1 WX-2, MS-952 Los Alamos National Lab. P.O. Box 1663 Los Alamos, NM 87545
Dr. Ronald L. Simmons Hercules Inc. Eglin AFATL/DLDL Eglin AFB, FL 32542	1	Dr. R. Rogers 1 Los Alamos Scientific Lab. WX-2 P.O. Box 1663 Los Alamos, NM 87545

No.	Copies	N <u>o. Copies</u>
Dr. J.F. Kincaid Strategic Systems Project Office Department of the Navy Room 901	1	Dr. C.W. Vriesen 1 Thiokol Elkton Division P.O. Box 241 Elkton, MD 21921
Washington, D.C. 20376 Strategic Systems Project Office Propulsion Unit Code SP2731	1	Dr. J.C. Hinshaw 1 Thiokol Wasatch Division P.O. Box 524 Brigham City, UT 83402
Department of the Navy Washington, D.C. 20376 Mr. E.L. Throckmorton Strategic Systems Project Office	1	U.S. Army Research Office 1 Chemical & Biological Sciences Division P.O. Box 12211 Research Triangle Park, NC 27709
Department of the Navy Room 1048 Washington, D.C. 20376 Dr. D.A. Flanigan	1	Dr. R.F. Walker l USA ARRADCOM DRDAR-LCE Dover, NJ 07801
Thiokol Huntsville Division Huntsville, AL 35807 Mr. G.F. Mangum	1	Dr. T. Sinden 1 Munitions Directorate
Thiokol Corporation Huntsville Division Huntsville, AL 35807 Mr. E.S. Sutton	1	Propellants and Explosives Defense Equipment Staff British Embassy 3100 Massachusetts Ave. Washington, D.C. 20008
Thickol Corporation Elkton Division P.O. Box 241 Elkton, MD 21921		
Dr. G. Thompson Thiokol Wasatch Division MS 240 P.O. Box 524 Brigham City, UT 84302	1	Mr. J.M. Frankle 1 Army Ballistic Research Labs ARRADCOM Code DRDAR-BLI Aberdeen Proving Ground, MD 21005
Dr. T.F. Davidson Technical Director Thiokol Corporation Government Systems Group P.O. Box 9258 Ogden, UT 84409	1	Dr. Ingo W. May 1 Army Ballistic Research Lab ARRADCOM Code DRDAR-BLI Aberdeen Proving Ground, MD 21005

No.	Copies		
E. J. Palm Commander Army Missile Command DRSMI-RK Redstone Arsenal, AL 35898	1	Dr. Kenneth O. Hartman Hercules Aerospace Division Hercules Incorporated Allegany Ballistics Lab P.O. Box 210 Cumberland, MD 21502	1
Dr. Merrill K. King Atlantic Research Corp. 5390 Cherokee Avenue Alexandria, VA 22314	1	Dr. Joyce J. Kaufman The Johns Hopkins University Department of Chemistry Baltimore, MD 21218	1
Dr. R.J. Bartlett Batelle Columbus Laboratories 505 King Avenue Columbus, OH 43201	1	Dr. John K. Dienes T-3, MS-216 Los Alamos National Lab P.O. Box 1663	1
Dr. P. Rentzepis Bell Laboratories Murray Hill, NJ 07971	1	Los Alamos, NM 87544 Dr. H.P. Marshall Dept. 52-35, Bldg. 204.2	1
Professor Y.T. Lee Department of Chemistry University of California Berkeley, CA 94720	1	Lockheed Missile & Space Co. 3251 Hanover Street Palo Alto, CA 94304	
Professor M. Nicol Department of Chemistry 405 Hilgard Avenue University of California	1	Professor John Deutsch MIT Department of Chemistry Cambridge, MA 02139	1
Professor S.S. Penner University of California Energy Center	1	Professor Barry Kunz College of Sciences & Arts Department of PHysics Michigan Technological Univ. Houghton, MI 49931	1
Mail Code B-010 La Jolla, CA 92093		Dr. R. Bernecker Code R13	1
Professor Curt Wittig University of Southern CA Dept. of Electrical Engineering University Park	1	Naval Surface Weapons Center White Oak Silver Spring, MD 20910	
Los Angeles, CA 90007		Dr. C.S. Coffey Naval Surface Weapons Center Code R13 White Oak Silver Spring, MD 20910	1

	No. Copies
Dr. W. L. Elban Code R13 Naval Surface Weapons Cente	l r
White Oak Silver Spring, MD 20910	•
Mr. K.J. Graham Naval Weapons Center Code 3835 China Lake, CA 93555	1
Dr. B. Junker Office of Naval Research Code 421	1
Arlington, VA 22217 Prof. H.A. Rabitz Department of Chemistry Princeton University	1
Dr. M. Farber Space Sciences, Inc. 135 West Maple Avenue Monrovia, CA 91016	١
Mr. M. Hill SRI International 333 Ravenswood Avenue Menlo Park, CA 94025	1
U.S. Army Research Office Engineering Division Box 12211 Research Triangle Park, NC	1 27709
U.S. Army Research Office Metallurgy & Materials Sci. Box 12211 Research Triangle Park, NC	
Professor G.D. Duvall Washington State University Department of Physics Pullman, WA 99163	1

END

FILMED

9-83

DTIC